

FME Workbench Keyboard Shortcuts

 Jump to [Windows/Linux](#) shortcuts

 Jump to [Mac](#) shortcuts

Windows/Linux

General Viewing

Action	Shortcut (Windows/Linux)
New (create a new workspace)	Ctrl n
Generate workspace	Ctrl g
Open	Ctrl o
Exit (FME Workbench)	Ctrl q
Close (workspace)	Ctrl w
Change to next tab	Ctrl Tab
Change to previous tab	Ctrl Shift Tab
Tab number	Ctrl [tab number]
Close current tab	Ctrl F4
Open containing folder	Ctrl o
Maximize canvas to current window size	Shift F11
Maximize canvas to full screen	F11

Action	Shortcut (Windows/Linux)
Zoom-in	Ctrl +
Zoom-out	Ctrl -
Zoom 100%	Ctrl 0
Zoom in and out	Ctrl + scroll wheel
Pan	Click scroll wheel (or middle mouse button) and drag cursor.
Return cursor to action arrow.	Right-click anywhere on the canvas.
Search: <ul style="list-style-type: none"> • Workspace if the focus is in the workspace or the Navigator • Log if the focus is in the Log window 	Ctrl f F3
Connection Style	Ctrl Shift C
Print	Ctrl p
Help	Select an object, then F1

Viewing Data in Visual Preview

Task	Shortcut (Windows/Linux)
Toggle automatic inspect on selection	Ctrl Alt A
Toggle Display Control	Ctrl Alt `
Toggle table view	Ctrl Alt 1
Toggle graphics view	Ctrl Alt 2,

Task	Shortcut (Windows/Linux)
	Ctrl Alt 3, Ctrl Alt 4
Show/hide Feature Information window	Ctrl Alt F
Open in FME Data Inspector	Ctrl Alt D


General Editing

Task	Shortcut (Windows/Linux)
Cut	Ctrl x
Copy	Ctrl c
Paste	Ctrl v
Paste With Formatting (annotations only)	
Paste Without Formatting (annotations only)	Ctrl Shift V
Redo	Ctrl y
Save	Ctrl s
Select All	Ctrl a
Undo	Ctrl z
Smart Delete (repair connections)	Delete
Delete (without repair)	Shift +Delete
Restrict click and drag of objects to	Select the object(s), hold Shift and

Task	Shortcut (Windows/Linux)
vertical or horizontal (depending on direction of initial movement)	drag.
Temporarily disable Snap to Grid while dragging objects.	Hold <code>Ctrl</code> and drag.

Readers, Writers, and Transformers

Task	Shortcut (Windows/Linux)
Add Reader	<code>Ctrl Alt r</code>
Add Writer	<code>Ctrl Alt w</code>
Show Parameters	Select an object, then <code>Enter</code> .
Connect Inspector	Select the object(s), then <code>Ctrl Shift I</code>
Connect Logger	Select the object(s), then <code>Ctrl Shift L</code>
Create custom transformer	Select one or more transformers, then <code>Ctrl t</code>
Duplicate transformer	<code>Ctrl d</code>

 Using Quick Add: If you add a transformer and want to add the same transformer again, press `/`. The Quick Add box will appear showing the last selected transformer. Press `Return` to include it, then press `Return` again to edit its parameters.

Task	Shortcut (Windows/Linux)
Rename	Select the object, then F2
Reload transformers	Ctrl Shift R
Search transformers, readers, and writers	/

Other Workspace Authoring

Task	Shortcut (Windows/Linux)
Add bookmark	Ctrl b
Attach annotation	Select the object(s), then Ctrl k
Show summary annotation	Select the object(s), then Ctrl Shift K
Insert Junction	Ctrl Shift J
Enable/disable objects (including links and feature types)	Ctrl e
Compare workspaces and merge differences	Ctrl Alt c

Running Workspaces

Task	Shortcut (Windows/Linux)
Run translation	F5
Rerun entire workspace	Shift F5
Enable Prompt for User Parameters	Ctrl Alt F5
Prompt and run, with feature caching and breakpoints disabled	Ctrl r

Task	Shortcut (Windows/Linux)
Enable feature caching	Ctrl F5
Enable feature caching + "Run From This"	F6
Enable feature caching + "Run To This"	Shift F6
Run with breakpoints	Ctrl Shift F5
Toggle breakpoints	Select connection, then F9

Mac

Action	Shortcut (Mac)
New (create a new workspace)	⌘ n
Generate workspace	Shift ⌘ n
Open	⌘ o
Exit (FME Workbench)	⌘ q
Close (workspace)	⌘ w
Change to next tab	
Change to previous tab	
Tab number	⌘ [tab number]
Close current tab	⌘ w
Open containing folder	⌘ o
Maximize canvas to current window size	Shift F11

Action	Shortcut (Mac)
Maximize canvas to full screen	F11
Zoom-in	⌘ +
Zoom-out	⌘ -
Zoom 100%	⌘ 0
Zoom in and out	⌘ + scroll wheel
Pan	Click scroll wheel (or middle mouse button) and drag cursor
Return cursor to action arrow.	Right-click anywhere on the canvas.
Search: <ul style="list-style-type: none"> • Workspace if the focus is in the workspace or the Navigator • Log if the focus is in the Log window 	⌘ f
Connection Style	⌘ Shift C
Print	⌘ p
Help	Select an object, then F1

Viewing Data in Visual Preview

Task	Shortcut (Mac)
Toggle automatic inspect on selection	Option ⌘ A
Toggle Display Control	Option ⌘ ^
Toggle table view	Option ⌘ 1
Toggle graphics view	Option ⌘ 2 ,

Task	Shortcut (Mac)
	Option ⌘ 3, Option ⌘ 4
Show/hide Feature Information window	Option ⌘ F
Open in FME Data Inspector	⌘ Shift D

General Editing

Task	Shortcut (Mac)
Cut	⌘ X
Copy	⌘ C
Paste	⌘ V
Paste With Formatting (annotations only)	Ctrl V
Paste Without Formatting (annotations only)	Ctrl Shift V
Redo	shift+⌘ Z
Save	⌘ S
Select All	⌘ A
Undo	⌘ Z
Smart Delete (repair connections)	Delete
Delete (without repair)	Shift Delete
Restrict click and drag of objects to vertical or horizontal (depending on direction of initial movement)	Select the object(s), hold down Shift , then drag.

Readers, Writers, and Transformers


Task	Shortcut (Mac)
Add Reader	Option ⌘ r
Add Writer	Option ⌘ w
Show Parameters	Select an object, then Enter.
Connect Inspector	Select the object(s), then Ctrl Shift I
Connect Logger	Select the object(s), then Ctrl Shift L
Create custom transformer	Select one or more transformers, then ⌘ t
Duplicate transformer	⌘ d
Rename	Select the object, then F2
Reload transformers	⌘ Shift R
Search transformers, readers, and writers	/

Other Workspace Authoring

Task	Shortcut (Mac)
Add bookmark	⌘ b
Attach annotation	Select the object(s), then ⌘ k
Show summary annotation	Select the object(s), then Shift ⌘ K
Insert Junction	Shift ⌘ J
Enable/disable objects (including links and feature types)	⌘ e

Task	Shortcut (Mac)
Compare workspaces and merge differences	Option ⌘ C

Running Workspaces

Task	Shortcut (Mac)
Run translation	F5
Rerun entire workspace	Shift F5
Enable Prompt for User Parameters	⌘ Alt F5
	<div style="border: 1px solid #0070C0; padding: 10px; background-color: #E6F2FF;"> <p> Note MacOS Show Accessibility Controls shortcut must be disabled in System Preferences.</p> </div>
Prompt and run, with feature caching and breakpoints disabled	⌘ r
Enable feature caching	⌘ F5
Enable feature caching + "Run From This"	F6
Enable feature caching + "Run To This"	Shift F6
Run with breakpoints	⌘ Shift F5
Toggle breakpoints	Select connection, then F9